

**PRECIPITACIONS I FENOMENS METEOROLÒGICS TONA 0341**

El Interval de 0-7 correspon a la nit del dia següent cronològic.(horari civil)

**AGOST**

**2021**

**J.Gómez**

Dia	Pluja	0-7			7-13			13-18			18-24			control						T.Màx	T.Mín	T.Mitj
1											0	0	0	0	0	0	0	0	0	24,0	13,8	18,9
2	0,2	R									0	0	0	0	R	0	0	0	0	26,8	12,7	19,8
3	0,7	R									0	0	0	0	R	0	0	0	0	26,6	14,3	20,5
4	5,4				P	P		T	P	ARC	0	T	P	ARC	0	0	0	0	27,0	15,2	21,1	
5	0,2	R									0	0	0	0	R	0	0	0	0	29,2	13,8	21,5
6		R	B	BR							0	0	0	0	R	BR	B	0	0	26,6	16,7	21,7
7		R									0	0	0	0	R	0	0	0	0	31,3	16,6	24,0
8											0	0	0	0	0	0	0	0	0	24,8	15,3	20,1
9		R									0	0	0	0	R	0	0	0	0	27,7	12,8	20,3
10							cal			cal	0	cal	0	0	0	0	0	0	0	29,9	14,6	22,3
11							cal	cal			cal	0	0	0	0	0	0	0	0	34,4	16,5	25,5
12							cal	cal			cal	0	0	0	0	0	0	0	0	37,5	20,5	29,0
13							cal	cal			cal	0	0	0	0	0	0	0	0	36,8	17,7	27,3
14											0	0	0	0	0	0	0	0	0	35,7	18,3	27,0
15											0	0	0	0	0	0	0	0	0	34,5	19,4	27,0
16											0	0	0	0	0	0	0	0	0	31,4	19,2	25,3
17											0	0	0	0	0	0	0	0	0	28,3	15,6	22,0
18	0,2										0	0	0	0	0	0	0	0	0	27,9	14,3	21,1
19	0,4	R	B					T	P		0	T	P	0	R	0	B	0	0	25,6	14,0	19,8
20		R									0	0	0	0	R	0	0	0	0	27,8	13,3	20,6
21		R									0	0	0	0	R	0	0	0	0	31,3	15,2	23,3
22											0	0	0	0	0	0	0	0	0	29,7	15,2	22,5
23		R									0	0	0	0	R	0	0	0	0	25,8	16,6	21,2
24											0	0	0	0	0	0	0	0	0	25,0	17,7	21,4
25	5,6	R						T	P		0	T	P	0	R	0	0	0	0	26,5	14,5	20,5
26	0,2	R	B								0	0	0	0	R	0	B	0	0	30,6	13,3	22,0
27		R	B								0	0	0	0	R	0	B	0	0	31,8	18,1	25,0
28											0	0	0	0	0	0	0	0	0	27,3	16,2	21,8
29											0	0	0	0	0	0	0	0	0	27,0	16,0	21,5
30		R									0	0	0	0	R	0	0	0	0	24,1	14,2	19,2
31	2,2	R								P	0	P	0	R	0	0	0	0	0	26,0	15,2	20,6

**Total** 15,1

**Mitja** 0,5

**Pluja màxima** 5,6

Dies de :	Inapres.	<= 1	<=10	<=10
		0	6	9
<= 30 l		<=50 L.	>50	
		9	9	0

<b>FENÒMENS</b>	
Pedra	PD
Pluja	P
Neu	N
Granís	G
Tempesta	T
Boires	B
Calima	CAL
Boirina	BR
Rosada	R
Gebre	GB
Neu terra	NT

Arc deS. Martí

898,9	486,80	692,9
29,0	15,70	22,4
<b>Mínima Abs</b>		12,7
<b>Màxima Abs</b>		37,5